



**MATERIAL SAFTY DATA SHEET
SPOT REMOVER LD200**

VASKA INC
2332 5TH ST, BERKELEY, CA 94710
PHONE: 510-644-2111

DATE OF ISSUE: 5/15/08

PAGE 1 OF 2

SECTION I PRODUCT IDENTIFICATION

PRODUCT NAME: SPOT REMOVER
PRODUCT CODE: LD200
CHEMICAL NAME: WATER SURFACTANT BLEND
FORMULA: PROPRIETARY
DOT HAZARD CLASS: 55

<u>HAZARD RATING (NFPA 704)</u>	<u>HAZARD RATING</u>	<u>PROTECTIVE EQUIPMENT</u>
HEALTH: 1	0=MINIMAL	A=GOGGLES
FIRE: 0	1=SLIGHT	B=GOGGLES, GLOVES
REACTIVITY: 0	2=MODERATE	C=GOGGLES, GLOVES, APRON
PROTECTIVE EQUIPMENT: B	3=SERIOUS	D=GOGGLES, GLOVES, APRON, FACE SHIELD
	4=SEVERE	E=GOGGLES, GLOVES, RESPIRATOR

SECTION II HAZARDOUS INGREDIENTS

SUBSTANCES LISTED IN THIS SECTION ARE THOSE IDENTIFIED AS BEING PRESENT AT A CONCENTRATION OF 1% OR GREATER, OR 0.1% IF THE SUBSTANCE IS ON THE LIST OF POTENTIAL CARCINOGENS CITED IN OSHA HAZARD COMMUNICATION STANDARD.

<u>MATERIAL</u>	<u>CAS#</u>	<u>TLV</u>	<u>PEL</u>
NONE	NOT APPLICABLE	NA	NA

SECTION III PHYSICAL DATA

BOILING POINT: 210 °F	VOLATILE : 83%
VAPOR PRESSURE (AIR=1): >1.0	SOLUBILITY IN WATER: COMPLETE
VAPOR DENSITY: (AIR=1): WATER BASED	SPECIFIC GRAVITY: 1.006
EVAPORATION RATE (WATER=1):1	VISCOSITY: 25 CPS@68o
DESCRIPTION: CLEAR SOLUTION WITH SLIGHT FRESH SCENT	pH CONCENTRATE: 6.5

SECTION IV FIRE AND EXPLOSION HAZARDS

FLASH POINTS: NON-COMBUSTIBLE
FLAMMABLE LIMITS LEL/UEL: NA
METHOD USED: C.O.C.
EXTINGUISHING MEDIA: WATER SPRAY, FOAM, CARBON DIOXIDE.
UNUSUAL FIRE OR EXPLOSIVE HAZARD: NONE KNOWN.

SECTION V HEALTH HAZARD DATA

SIGNS AND SYMPTOMS OF EXPOSURE (SKIN, EYE CONTACT; INHALATION; INGESTION)
EYE CONTACT: MAY CAUSE IRRITATION, REDNESS, TEARING.
INHALATION: COULD CAUSE IRRITATION.
INGESTION: DRINK LARGE QUANTITIES OF WATER AND SEEK MEDICAL ATTENTION IMMEDIATELY.

SKIN CONTACT: IRRITATION TO SENSITIVE SKIN OR PROLONGED CONTACT.

VASKA SPOT REMOVER CP200 PAGE 2 OF 2

FIRST AID MEASURES

EYE CONTACT: IMMEDIATELY FLUSH EYES WITH LOTS OF RUNNING WATER FOR 15 MINUTES. SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.

INHALATION: REMOVE TO FRESH AREA.

INGESTION: DRINK LARGE QUANTITIES OF WATER AND SEEK MEDICAL ATTENTION IMMEDIATELY.

SKIN CONTACT: WASH SKIN WITH SOAPS AND LOTS OF WATER. IF IRRITATION OCCURS AND PERSISTS SEEK MEDICAL ATTENTION IMMEDIATELY.

SECTION VI REACTIVITY DATA

STABILITY: STABLE

INCOMPATIBILITY (MATERIALS TO AVOID): STRONG ACIDS, OXIDIZERS.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: NONE CURRENTLY KNOWN.

HAZARDOUS DECOMPOSITION: NONE KNOWN.

SECTION VII SPILL OR LEAK PROCEDURES

CLEAN-UP PROCEDURES: CONTAIN SPILL WITH INERT MATERIAL THEN TRANSFER TO SEALABLE CONTAINERS FOR DISPOSAL. FLUSH CONTAMINATED AREAS WITH WATER.

RECOMMENDED WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

SECTION VIII SPECIAL PROTECTION DATA

RESPIRATORY PROTECTION: GENERALLY NOT REQUIRED.

PROTECTIVE CLOTHING: RUBBER GLOVES.

EYE PROTECTION: SAFETY GOGGLES.

VENTILATION: GENERAL ROOM VENTILATION.

OTHER PROTECTIVE MEASURES: NONE.

SECTION IX SPECIAL PRECAUTION

HYGIENIC PRACTICES IN HANDLING STORING: WASH THOROUGHLY AFTER HANDLING.

PRECAUTION TO BE TAKEN IN HANDLING AND STORING: STORE IN COOL, DRY, VENTILATED AREAS. DO NOT FREEZE.

DISPOSAL OF EMPTY CONTAINER: EMPTY CONTAINERS SHOULD BE TRIPLE RINSED WITH WATER AND DISPOSED OF PURSUANT TO LOCAL, STATE, AND FEDERAL REQUIREMENTS.

SECTION X USER'S RESPONSIBILITY

THE RESPONSIBILITY TO PROVIDE A SAFE WORKPLACE REMAINS WITH THE USER. THE USER SHOULD CONSIDER THE HEALTH HAZARD AND SAFETY INFORMATION CONTAINED HEREIN AS A GUIDE AND SHOULD TAKE THOSE PRECAUTIONS REQUIRED IN AN INDIVIDUAL OPERATION TO INSTRUCT EMPLOYEES AND DEVELOP WORK PRACTICE PROCEDURES FOR A SAFE WORK ENVIRONMENT.

SECTION XI DISCLAIMER

The submission of this MSDS may be required by law, but this is not an assertion that the substance is hazardous when used in accordance with proper safety practices and normal handling procedures. Data supplied is for use only in connection with occupational safety and health. The information contained herein has been compiled from sources considered by VASKA to be dependable and is accurate to the best of the Company's knowledge. The information relates to the specific material designated herein, and does not relate to the use in combination with any other material or any other process. VASKA assumes no responsibility for injury to the recipient or third persons, for any damage to any property resulting from misuse of the product. Nor does VASKA deem this to be a license under any patent or proprietary right. The user alone must finally determine

suitability of use and weather any patents or intellectual property rights are infringed.